

Electrical Items 2019-20

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
1	PVC insulated Core Copper wire (1.1KV) garde 1 sq.mm	Rolls	705	762
2	PVC insulated Core Copper wire (1.1KV) garde 1.5	Rolls	1100	1066
3	PVC insulated Core Copper wire (1.1KV) garde 2.5	Rolls	1700	1718
4	PVC insulated Core Copper wire (1.1KV) garde 4 sq.mm	Rolls	2710	2645
5	PVC insulated Core Copper wire (1.1KV) garde 6 sq.mm	Rolls	3800	3924
6	PVC insulated Core Copper wire (1.1KV) garde 10	Rolls	6500	6810
7	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed2.5sqmm	Meters	0	69
8	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed4 Sq.mm	Meters	95	69
9	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed6 sq mm	Meters	110	81
10	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed10 Sq.mm	Meters	120	97
11	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed16sq.mm	Meters	120	108
12	Power Cables (1.1kV) 2? Core Aluminium?Armoured, PVC insulated & sheathed 25 sq.mm	Meters	140	113
13	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 2.5sqmm	Meters	0	75
14	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 4 Sq.mm	Meters	115	75
15	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 6 sq mm	Meters	135	86
16	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 10 aq.mm	Meters	150	107
17	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 16sq.mm	Meters	150	122
18	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 25Sqmm	Meters	180	152
19	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 35Sqmm	Meters	230	193
20	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 70Sqmm	Meters	420	322
21	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 95Sqmm	Meters	530	412
22	Power Cables (1.1kV) 3? Core Aluminium?Armoured, PVC insulated & sheathed 150Sqmm	Meters	810	604
23	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 16sq.mm	Meters	0	146
24	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 25sqmm	Meters	223	169

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
25	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 35 Sq.mm	Meters	270	215
26	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 50 sq mm	Meters	355	282
27	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 70 aq.mm	Meters	510	387
28	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 95 sq.mm	Meters	620	458
29	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 120 sq.mm	Meters	790	574
30	Power Cables (1.1kV) 3.5?Core Aluminium ? Armoured, PVC insulated & sheathed 150 sq.mm	Meters	950	678
31	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 6 sq mm	Meters	125	99
32	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 10 aq.mm	Meters	170	124
33	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 16sq.mm	Meters	180	143
34	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 25 sq mm	Meters	250	184
35	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 35sqmm	Meters	315	240
36	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 50sqmm	Meters	410	309
37	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 70sqmm	Meters	550	418
38	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 95sqmm	Meters	665	495
39	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 120sq.mm	Meters	825	609
40	Power Cables (1.1kV) 4?Core Aluminium ? Armoured, PVC insulated & sheathed 150 sq.mm	Meters	1005	749
41	Power Cables (1.1kV) 2? Core Aluminium?Unarmoured, PVC insulated & sheathed 2.5sqmm	Meters	0	43
42	Power Cables (1.1kV) 2? Core Aluminium?Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	59	43
43	Power Cables (1.1kV) 2? Core Aluminium?Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	65	49
44	Power Cables (1.1kV) 2? Core Aluminium?Unarmoured, PVC insulated & sheathed10 aq.mm	Meters	83	60
45	Power Cables (1.1kV) 2? Core Aluminium?Unarmoured, PVC insulated & sheathed 16sq.mm	Meters	90	74
46	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 2.5sqmm	Meters	0	48

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
47	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	65	48
48	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	80	57
49	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 10 aq.mm	Meters	105	73
50	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 16sq.mm	Meters	114	94
51	Power Cables (1.1kV) 3? Core Aluminium?Unarmoured, PVC insulated & sheathed 25 sq.mm	Meters	155	133
52	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed 25sqmm	Meters	185	150
53	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed 35 Sq.mm	Meters	260	189
54	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed50 sq mm	Meters	295	250
55	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed70 aq.mm	Meters	420	348
56	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed 95 sq.mm	Meters	530	429
57	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed120 sq.mm	Meters	650	539
58	Power Cables (1.1kV) 3.5?Core Aluminium ? Unarmoured, HD, PVC insulated & sheathed 150	Meters	780	656
59	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed2.5sqmm	Meters	0	54
60	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	80	56
61	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	90	68
62	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 10 aq.mm	Meters	120	89
63	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 16sq.mm	Meters	135	116
64	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 25 sq mm	Meters	195	158
65	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 35sqmm	Meters	240	208
66	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 50sqmm	Meters	405	275
67	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 70sqmm	Meters	460	384
68	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 95sqmm	Meters	580	477

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
69	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 120sq.mm	Meters	740	604
70	Power Cables (1.1kV) 4?Core Aluminium ? Unarmoured, PVC insulated & sheathed 150 sq.mm	Meters	890	744
71	Power Cables (1.1kV) 2? Core Copper?Armoured, PVC insulated & sheathed 2.5sqmm	Meters	131	145
72	Power Cables (1.1kV) 2? Core Copper?Armoured, PVC insulated & sheathed 4 Sq.mm	Meters	180	158
73	Power Cables (1.1kV) 2? Core Copper?Armoured, PVC insulated & sheathed 6 sq mm	Meters	245	158
74	Power Cables (1.1kV) 2? Core Copper?Armoured, PVC insulated & sheathed 10 Sq.mm	Meters	370	254
75	Power Cables (1.1kV) 2? Core Copper?Unarmoured, PVC insulated & sheathed 2.5sqmm	Meters	105	138
76	Power Cables (1.1kV) 2? Core Copper?Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	0	138
77	Power Cables (1.1kV) 2? Core Copper?Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	0	138
78	Power Cables (1.1kV) 2? Core Copper?Unarmoured, PVC insulated & sheathed 10 Sq.mm	Meters	0	227
79	Power Cables (1.1kV) 3? Core Copper?Unarmoured, PVC insulated & sheathed 2.5sqmm	Meters	138	178
80	Power Cables (1.1kV) 3? Core Copper?Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	0	178
81	Power Cables (1.1kV) 3? Core Copper?Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	0	178
82	Power Cables (1.1kV) 3? Core Copper?Unarmoured, PVC insulated & sheathed 10 Sq.mm	Meters	0	321
83	Power Cables (1.1kV) 4?Core Copper ? Unarmoured, PVC insulated & sheathed 4 Sq.mm	Meters	0	312
84	Power Cables (1.1kV) 4?Core Copper ? Unarmoured, PVC insulated & sheathed 6 sq mm	Meters	0	312
85	Power Cables (1.1kV) 4?Core Copper ? Unarmoured, PVC insulated & sheathed 10 Sq.mm	Meters	0	422
86	Flat type Aluminium Alloy Thimble 2.5sqmm	Each	20	7
87	Flat type Aluminium Alloy Thimble 4Sqmm	Each	20	7
88	Flat type Aluminium Alloy Thimble 6Sqmm	Each	20	8
89	Flat type Aluminium Alloy Thimble 10Sqmm	Each	20	8
90	Flat type Aluminium Alloy Thimble 16sq.mm	Each	20	8
91	Flat type Aluminium Alloy Thimble 25Sqmm	Each	20	8
92	Flat type Aluminium Alloy Thimble 35sqmm	Each	20	15
93	Flat type Aluminium Alloy Thimble 50sqmm	Each	20	19
94	Flat type Aluminium Alloy Thimble 70Sqmm	Each	60	20
95	Flat type Aluminium Alloy Thimble 95Sqmm	Each	60	25

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
96	Flat type Aluminium Alloy Thimble 120sq.mm	Each	60	30
97	Ferrule type Alluminium thimble 2.5sqmm	Each	20	10
98	Ferrule type Alluminium thimble 4Sqmm	Each	20	10
99	Ferrule type Alluminium thimble 6Sqmm	Each	20	15
100	Ferrule type Alluminium thimble 10Sqmm	Each	20	15
101	Ferrule type Alluminium thimble 16sq.mm	Each	20	15
102	Ferrule type Alluminium thimble 25Sqmm	Each	20	15
103	Ferrule type Alluminium thimble 35sqmm	Each	20	15
104	PVC box 86x86x40mm	Each	30	38
105	PVC box 86x31x40mm	Each	30	38
106	PVC box 146x86x40mm	Each	40	62
107	PVC Boxes 1 Module	Each	25	30
108	PVC Boxes 2 Module	Each	25	30
109	PVC Boxes3 Module	Each	28	39
110	PVC Boxes 4 Module	Each	37	45
111	PVC Boxes 5 Module	Each	57	59
112	PVC Boxes6 Module	Each	57	59
113	PVC Boxes 7 Module	Each	75	82
114	PVC Boxes 8 Module	Each	75	82
115	PVC Boxes 9 Module	Each	75	0
116	PVC Boxes 10 Module	Each	75	0
117	PVC Boxes 11 Module	Each	95	0
118	PVC Boxes 12 Module	Each	95	115
119	PVC Boxes 13 Module	Each	98	0
120	PVC Boxes 14 Module	Each	98	0
121	PVC Boxes 15 Module	Each	115	125
122	PVC Boxes PVC socket	Each	11	0
123	junction box,1 or 2 way for conduit	Each	15	0
124	inspection bend for conduit	Each	150	0
125	PVC sleev 25mm	Each	80	0
126	pvc sleev 35mm	Each	80	0
127	pvc sleev 40mm	Each	80	0
128	PVC switch box (Gang box) 1 way	Each	10	15
129	PVC switch box (Gang box) 2 way	Each	10	18
130	PVC switch box (Gang box) 3 way	Each	15	23
131	PVC switch box (Gang box) 4 way	Each	20	26
132	PVC switch box (Gang box) 5 way	Each	30	37
133	PVC switch box (Gang box) 6 way	Each	40	42
134	PVC switch box (Gang box) 7 way	Each	40	45
135	PVC switch box (Gang box) 8 way	Each	60	55
136	PVC switch box (Gang box) 9 way	Each	70	0
137	PVC switch box (Gang box) 10 way	Each	80	0
138	PVC switch box (Gang box) 11 way	Each	100	0
139	PVC switch box (Gang box) 12 way	Each	100	0

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
140	Junction box, 1 or 2 way for conduit	Each	15	35
141	Inspection bend for conduit	Each	150	35
142	PVC Socket	Each	0	5
143	Metal boxes 1 Module	Each	35	39
144	Metal boxes 2 Module	Each	35	39
145	Metal boxes 3 Module	Each	50	55
146	Metal boxes 4 Module	Each	58	68
147	Metal boxes 5 Module	Each	58	68
148	Metal boxes 6 Module	Each	80	68
149	Metal boxes 7 Module	Each	80	118
150	Metal boxes 8 Module	Each	105	118
151	Metal boxes 9 Module	Each	105	118
152	Metal boxes10 Module	Each	130	0
153	metal box 75x75x60 mm	Each	40	42
154	metal box, 60x60x60 mm	Each	30	0
155	metal box, 86x86x40 mm	Each	40	0
156	metal box, 100x100x60 mm	Each	90	42
157	metal box, 86x31x40 mm	Each	60	42
158	metal box, 146x86x40	Each	80	62
159	metal box, 150x100x60 mm	Each	80	62
160	metal box, 150x150x60 mm	Each	90	62
161	metal box, 180x100x60 mm	Each	90	95
162	metal box, 180x150x60 mm	Each	90	95
163	metal box, 200x125x60 mm	Each	90	125
164	metal box, 200x150x60 mm	Each	96	125
165	metal box, 250x200x60 mm	Each	150	165
166	metal box, 300x200x60 mm	Each	210	125
167	metal box, 200x150x100 mm	Each	180	95
168	metal box, 200x250x100 mm	Each	230	95
169	metal box, 200x300x100 mm	Each	230	95
170	metal box, 250x300x100 mm	Each	230	165
171	metal box, 300x380x100 mm	Each	280	0
172	metal box, 300x450x100 mm	Each	300	0
173	Laminated Sheet Cover for metal boxes	Each	0	0
174	PVC Casing & Cappings (Double Locking) 12x12 mm	Piece	0	35
175	PVC Casing & Cappings (Double Locking) 12x10 mm	Piece	0	35
176	PVC Casing & Cappings (Double Locking) 15x10 mm	Piece	0	35
177	PVC Casing & Cappings (Double Locking) 20x10 mm	Piece	0	38
178	PVC Casing & Cappings (Double Locking) 20x12 mm	Piece	0	42
179	PVC Casing & Cappings (Double Locking) 25x10 mm	Piece	60	50
180	PVC Casing & Cappings (Double Locking) 30x10 mm	Piece	80	52
181	PVC Casing & Cappings (Double Locking) 40x20 mm	Piece	120	72
182	PVC Casing & Cappings (Double Locking) Corner/Tee	Piece	15	10

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
183	Busbars & busbar chambers,copper busbar &MS busbar chamber 2 strips,300mm,bars 100A	Each	4700	4420
184	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,300mm bar,100A	Each	4700	4420
185	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,300mm bar,200A	Each	4700	5820
186	Busbars & busbar chambers,copper busbar &MS busbar chamber 2 strips,450mm bar,100A	Each	4700	5820
187	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,450mm bar,100A	Each	5100	4620
188	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,450mm bar,200A	Each	5900	5820
189	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,600mm bar,100A	Each	5900	4620
190	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,600mm bar,200A	Each	6100	5820
191	Busbars & busbar chambers,copper busbar &MS busbar chamber 4 strips,600mm bar,300A	Each	8900	9760
192	Aluminium alloy/ aluminium busbar complete 4 strips, 600mm bar 300A	Each	9100	11500
193	Aluminium alloy/ aluminium busbar complete 4 strips, 600mm bar, 400A	Each	10100	11500
194	Aluminium alloy/ aluminium busbar complete 4 strips, 900mm bar,400A	Each	23700	15200
195	Aluminium alloy/ aluminium busbar complete 4 strips, 900mm bar, 800A	Each	33000	19800
196	Aluminium alloy/ aluminium busbar complete 4 strips, 1350mm bar, 400A	Each	33900	11500
197	Aluminium alloy/ aluminium busbar complete 4 strips, 1350mm bar, 600A	Each	35900	11500
198	Aluminium alloy/ aluminium busbar complete 4 strips, 1350mm bar, 800A	Each	49100	19800
199	Earth leakage module, 4 pole, 415 volt A.C 125A	Each	0	12200
200	Earth leakage module, 4 pole, 415 volt A.C 160A	Each	0	18200
301	4 pole, 25KA, MCCB 63A, 415V	Each	4800	4018
302	4 pole, 25KA, MCCB 100A, 415V	Each	5100	4272
303	4 pole, 25KA, MCCB 125A, 415V	Each	5100	4645
304	3 pole, 36KA, MCCB 125A, 415V	Each	0	6192
305	3 pole, 36KA, MCCB 160A, 415V	Each	7100	9780
306	3 pole, 36KA, MCCB 250A, 415V	Each	7100	11780
307	4 pole, 36KA, MCCB 125A, 415V	Each	7100	7322
308	4 pole, 36KA, MCCB 160A, 415V	Each	20100	9645
309	4 pole, 36KA, MCCB 250A, 415V	Each	27100	15112
310	6A switch SP 1?way	Each	15	12

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
311	6A switch SP 1?way with indicator (Modular Type)	Each	71	42
312	6A switch SP 2?way	Each	30	76
313	6A switch SP 2?way with indicator (Modular Type)	Each	85	0
314	16A swicth SP 1?way	Each	80	42
315	16A swicth SP 1?way with indicator	Each	71	94
316	16A swicth SP 2?way	Each	85	96
317	16A fuse unit	Each	85	78
318	2?pin 6A socket outlet	Each	60	59
319	3?pin, 6A socket outlet, shuttered	Each	80	124
320	3?pin, 16A socket outlet, shuttered	Each	80	142
321	3 pin, 6A switch/socket combined, shuttered	Each	159	62
322	5 pin, 6A switch/socket combined, shuttered	Each	213	62
323	3 pin, 16A switch/socket combined, shuttered	Each	240	142
324	5/6 pin, 6/16A socket outlet, shuttered	Each	160	142
325	3 pin, 16A switch/socket combined, shuttered (Modular Type)	Each	160	298
326	5/6 pin, 6/16A switch/socket combined, shuttered (Modular Type)	Each	160	298
327	5?pin universal socket outlet	Each	75	125
328	3pin top,16A	Each	55	54
329	Multi plug,16A	Each	100	85
330	3 pin top,5A	Each	50	42
331	Plate 1?module with frame	Each	70	79
332	Plate 2?module with frame	Each	70	79
333	Plate 3?module with frame	Each	81	102
334	Plate 4?module with frame	Each	101	115
335	Plate 6?module with frame	Each	146	140
336	Plate 8?module with frame	Each	182	228
337	Batten holder (heavy duty, brass)	Each	25	23
338	Plain pendant holder (bakelite)	Each	12	12
339	Angle holder (heavy duty)	Each	25	24
340	Ceiling Rose, 2 plate (PVC) 6A	Each	17	17
341	Strip Rail, 18/20 W, LPF	Each	0	1650
342	Decorative, box type 18/20 W, LPF	Each	0	2650
343	Mounting channel, 18/20 W, LPF	Each	1900	2650
344	Strip Rail, 36/40 W, LPF	Each	0	2650
345	Decorative, box type 36/40 W, LPF	Each	2600	2650
346	Mounting channel, 36/40 W, LPF	Each	0	2650
347	Mounting box, 1x36/40 W, HPF	Each	1600	1650
348	Mounting box, 2x36/40 W, HPF	Each	3100	2650
349	Industrial box, 1x36/40 W, HPF	Each	0	1650
350	Gong bell assembly	Each	0	90
351	Buzzer bell assembly	Each	0	90
352	Musical bell assembly	Each	0	90

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
353	1400 rpm, 900mm sweep	Each	1300	0
354	1400 rpm, 1200mm sweep	Each	1200	0
355	1400 rpm, 1400mm sweep	Each	1400	0
356	900 rpm, 300mm sweep	Each	0	0
357	900 rpm, 380mm sweep	Each	0	0
358	900 rpm, 450mm sweep	Each	0	0
359	1400 rpm, 300mm sweep	Each	0	0
360	1400 rpm, 380mm sweep	Each	0	0
361	1400 rpm, 450mm sweep	Each	1700	0
362	Aluminium louvere with frame 300mm sweep	Each	1900	0
363	Aluminium louvere with frame 380mm sweep	Each	1900	0
364	Aluminium louvere with frame 450mm sweep	Each	1900	0
365	Steel Tubular Pole with base plate 5.5m, 4.5mm thick	Each	11000	8880
366	Steel Tubular Pole with base plate 5.5m, 4.8mm thick	Each	11000	9120
367	Steel Tubular Pole with base plate 5.5m, 5.4mm thick	Each	11000	9120
368	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 158 kg	Each	11000	15220
369	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 148 kg	Each	10100	14650
370	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 141 kg	Each	9900	13818
371	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 151kg	Each	10900	15200
372	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Single arm	Each	2500	1950
373	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Double arm	Each	3100	2350
374	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Triple arm	Each	4100	3120
375	MS junction box out door duty, fabricated with 14SWG MS sheet	Each	0	1850
376	GI Earth Plate 600x600x6mm	Each	1100	1150
377	GI Earth Plate 300x300x6mm	Each	300	345
378	Copper earth plate 600x600x3mm	Each	6100	5980
379	Copper earth plate 300x300x3mm	Each	2500	2850
380	8SWG GI Wire	Meter	20	75
381	6 SWG GI wire	Meter	10	78
382	14SWG GI wire	Meter	20	88
383	Trimer Switch Digital 24hrs/24hrs	Nos	5100	3800
384	Trimer Switch Digital 7days/24hrs	Nos	0	7800
385	M.S Conduit 15mmx 1.6mm	Meters	0	93
386	M.S Conduit 20mmx 1.6mm	Meters	116	112
387	M.S Conduit 25mmx1.6mm	Meters	150	163
388	M.S Conduit 32mmx2mm	Meters	180	180

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
389	M.S Conduit 40mmx2mm	Meters	200	280
390	M.S Conduit 50mmx 2mm	Each	200	435
391	M.S Conduit junction box,1 or 2 way	Each	35	35
392	M.S Conduit inspection bend	Each	35	35
393	M.S Conduit socket for conduit	Each	35	35
394	M.S saddle for different size	Each	5	5
395	PVC conduit 20mm	Meter	15	12
396	PVC conduit 25mm	Meter	17	18
397	PVC conduit 32mm	Meter	26	29
398	PVC conduit 40mm	Meter	40	35
399	PVC conduit 50mm	Each	50	0
400	PVC conduit PVC boxes	Each	0	0
301	4 pole, 25KA, MCCB 63A, 415V	Each	4800	0
302	4 pole, 25KA, MCCB 100A, 415V	Each	5100	0
303	4 pole, 25KA, MCCB 125A, 415V	Each	5100	0
304	3 pole, 36KA, MCCB 125A, 415V	Each	0	0
305	3 pole, 36KA, MCCB 160A, 415V	Each	7100	0
306	3 pole, 36KA, MCCB 250A, 415V	Each	7100	0
307	4 pole, 36KA, MCCB 125A, 415V	Each	7100	0
308	4 pole, 36KA, MCCB 160A, 415V	Each	20100	0
309	4 pole, 36KA, MCCB 250A, 415V	Each	27100	0
310	6A switch SP 1?way	Each	15	0
311	6A switch SP 1?way with indicator (Modular Type)	Each	71	0
312	6A switch SP 2?way	Each	30	0
313	6A switch SP 2?way with indicator (Modular Type)	Each	85	0
314	16A swicth SP 1?way	Each	80	0
315	16A swicth SP 1?way with indicator	Each	71	0
316	16A swicth SP 2?way	Each	85	0
317	16A fuse unit	Each	85	0
318	2?pin 6A socket outlet	Each	60	0
319	3?pin, 6A socket outlet, shuttered	Each	80	0
320	3?pin, 16A socket outlet, shuttered	Each	80	0
321	3 pin, 6A switch/socket combined, shuttered	Each	159	0
322	5 pin, 6A switch/socket combined, shuttered	Each	213	0
323	3 pin, 16A switch/socket combined, shuttered	Each	240	0
324	5/6 pin, 6/16A socket outlet, shuttered	Each	160	0
325	3 pin, 16A switch/socket combined, shuttered (Modular Type)	Each	160	0
326	5/6 pin, 6/16A switch/socket combined, shuttered (Modular Type)	Each	160	0
327	5?pin universal socket outlet	Each	75	0
328	3pin top,16A	Each	55	0
329	Multi plug,16A	Each	100	0
330	3 pin top,5A	Each	50	0

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
331	Plate 1?module with frame	Each	70	0
332	Plate 2?module with frame	Each	70	0
333	Plate 3?module with frame	Each	81	0
334	Plate 4?module with frame	Each	101	0
335	Plate 6?module with frame	Each	146	0
336	Plate 8?module with frame	Each	182	0
337	Batten holder (heavy duty, brass)	Each	25	0
338	Plain pendant holder (bakelite)	Each	12	0
339	Angle holder (heavy duty)	Each	25	0
340	Ceiling Rose, 2 plate (PVC) 6A	Each	17	0
341	Strip Rail, 18/20 W, LPF	Each	0	0
342	Decorative, box type 18/20 W, LPF	Each	0	0
343	Mounting channel, 18/20 W, LPF	Each	1900	0
344	Strip Rail, 36/40 W, LPF	Each	0	0
345	Decorative, box type 36/40 W, LPF	Each	2600	0
346	Mounting channel, 36/40 W, LPF	Each	0	0
347	Mounting box, 1x36/40 W, HPF	Each	1600	0
348	Mounting box, 2x36/40 W, HPF	Each	3100	0
349	Industrial box, 1x36/40 W, HPF	Each	0	0
350	Gong bell assembly	Each	0	0
351	Buzzer bell assembly	Each	0	0
352	Musical bell assembly	Each	0	0
353	1400 rpm, 900mm sweep	Each	1300	0
354	1400 rpm, 1200mm sweep	Each	1200	0
355	1400 rpm, 1400mm sweep	Each	1400	0
356	900 rpm, 300mm sweep	Each	0	0
357	900 rpm, 380mm sweep	Each	0	0
358	900 rpm, 450mm sweep	Each	0	0
359	1400 rpm, 300mm sweep	Each	0	0
360	1400 rpm, 380mm sweep	Each	0	0
361	1400 rpm, 450mm sweep	Each	1700	0
362	Aluminium louvere with frame 300mm sweep	Each	1900	0
363	Aluminium louvere with frame 380mm sweep	Each	1900	0
364	Aluminium louvere with frame 450mm sweep	Each	1900	0
365	Steel Tubular Pole with base plate 5.5m, 4.5mm thick	Each	11000	0
366	Steel Tubular Pole with base plate 5.5m, 4.8mm thick	Each	11000	0
367	Steel Tubular Pole with base plate 5.5m, 5.4mm thick	Each	11000	0
368	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 158 kg	Each	11000	0
369	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 148 kg	Each	10100	0
370	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m, 141 kg	Each	9900	0

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
371	Swaged Street Light Steel Tubular Pole (410 MPa) with base plate 8.5m,151kg	Each	10900	0
372	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Single arm	Each	2500	0
373	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Double arm	Each	3100	0
374	Pole cap wih arm bracket 1.1m and outer dia 50/60mm Triple arm	Each	4100	0
375	MS junction box out door duty, fabricated with 14SWG MS sheet	Each	0	0
376	GI Earth Plate 600x600x6mm	Each	1100	0
377	GI Earth Plate 300x300x6mm	Each	300	0
378	Copper earth plate 600x600x3mm	Each	6100	0
379	Copper earth plate 300x300x3mm	Each	2500	0
380	8SWG GI Wire	Meter	20	0
381	6 SWG GI wire	Meter	10	0
382	14SWG GI wire	Meter	20	0
383	Trimer Switch Digital 24hrs/24hrs	Nos	5100	0
384	Trimer Switch Digital 7days/24hrs	Nos	0	0
385	M.S Conduit 15mmx 1.6mm	Meters	0	0
386	M.S Conduit 20mmx 1.6mm	Meters	116	0
387	M.S Conduit 25mmx1.6mm	Meters	150	0
388	M.S Conduit 32mmx2mm	Meters	180	0
389	M.S Conduit 40mmx2mm	Meters	200	0
390	M.S Conduit 50mmx 2mm	Each	200	0
391	M.S Conduit junction box,1 or 2 way	Each	35	0
392	M.S Conduit inspection bend	Each	35	0
393	M.S Conduit socket for conduit	Each	35	0
394	M.S saddle for different size	Each	5	0
395	PVC conduit 20mm	Meter	15	0
396	PVC conduit 25mm	Meter	17	0
397	PVC conduit 32mm	Meter	26	0
398	PVC conduit 40mm	Meter	40	0
399	PVC conduit 50mm	Each	50	0
400	PVC conduit PVC boxes	Each	0	0
401	PVC box 86x86x40mm	Each	20	56
402	PVC box 86x31x40mm	Each	30	56
403	PVC box 146x 86x 40mm	Each	40	78
404	Geyser 10 Ltrs	Each	3500	5600
405	Geyser 15 Ltrs	Each	3700	5850
406	Geyser 25 Ltrs.	Each	6500	6350
407	Geyser 35 Ltrs	Each	6900	7350
408	Geyser 50 Ltrs	Each	11900	9750
409	Geyser 100 ltrs	Each	21000	17200

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
410	Geyser 500 lrts	Each	0	0
411	Geyser 1000 ltrs	Each	0	0
412	Room Heater (Double rod)	Each	1300	0
413	Room Heater (Single)	Each	500	0
414	3 Strip hologen room heater	Each	2100	0
415	Holigen table lamp(standared size)	Each	1700	0
416	Blow lamp	Each	0	2350
417	Panel Heater,9 panels	Each	3500	4250
418	Panel heater,11 panels	Each	3700	5950
419	Sheet board (various size) with bakalite sheet	Each	0	16
420	Sheet board (various size) with bakalite sheet	Each	0	24
421	Sheet board (various size) with bakalite sheet 6inchx8'	Each	0	48
422	Sheet board (various size) with bakalite sheet	Each	0	80
423	Sheet board (various size) with bakalite sheet	Each	0	120
424	Sheet board (various size) with bakalite sheet	Each	0	0
425	Machines screws 12mm	Pkt	130	125
426	Machines screws 20mm	Pkt	130	125
427	Machines screws 25mm	Pkt	130	125
428	Plastic dovels 35mm	Pkt	50	145
429	Wooden Screws,12mm	Pkt	50	45
430	Wooden Screws,20mm	Pkt	50	45
431	Wooden Screw,25mm	Pkt	50	45
432	Cassing/Capping pin, 12mm	Pkt	150	39
433	Lighting Arrester, copper spikes	Each	1500	2120
434	Copper trip 25X4mm	Meter	600	220
437	Tester set	Each	0	190
438	Continuity tester	Each	0	0
439	Combination Plier	Each	200	185
440	Site cutting plair	Each	200	185
441	Long Nose Pliar	Each	200	185
442	Screw drivers set	Each	200	185
443	Soldering Iron	Each	0	220
444	Soldering Lead	Roll	0	120
445	Drilling Machine (Light duty)	Each	3500	1650
446	Drilling Machine (Heavy duty)	Each	4800	6500
447	Drilling bit wooden all size	Each	3500	2850
448	Drilling bit metal all sizee	Each	6500	3250
449	Drilling bit concrete all size	Each	3500	3100
450	Digital Multimeter	Each	1700	3250
451	Fuse,6 or 5 amps	Each	0	35
452	Fuse,16 A	Each	0	45
453	Hand Saw Frame	Each	180	110
454	Hand saw blade	Each	10	10
455	Inlsulated hand Gloove	Each	400	0

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/Jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
456	Hammer (150200g)	Each	0	0
457	New Electri ceramic Tile marble saw 4" wet/dry cutter W.blade, Thin granite	Each	0	0
458	Extersion Cord,16 Amps	Each	580	0
459	Conversion plug,2 pin	Each	20	0
460	PVC insulation Tape	Each	10	0
461	Transister Battery/9V	Each	150	0
462	Supplying of LED bulbs 5 watt	Each	70	0
463	Supplying of LED bulbs 7 watt	Each	70	0
464	Supplying of LED bulbs 9 watt	Each	80	0
465	Supplying of LED bulbs 12 watt	Each	150	0
466	Supplying of LED bulbs14 watt	Each	180	0
467	Supplying of LED bulbs 23 watt	Each	270	0
468	Supplying of LED bulbs 27 watt	Each	320	0
469	Supplying of LED bulbs 45 watt	Each	600	0
470	LED Tube complete	Each	400	0
471	LED Tube complete 5 watt	Each	400	0
472	LED Tube complete 10 watt	Each	465	0
473	LED Tube complete 18 watt	Each	700	0
474	LED Tube complete 20 watt	Each	900	0
475	LED Tube complete 24 watt	Each	0	0
476	LED Drivers for street light set 90W	Each	0	0
477	LED Drivers for street light set 100 W	Each	0	0
478	LED Drivers for street light set 60 W	Each	0	0
479	Monoplast tape	Each	0	0
480	Analog timer switch 24x7 16 /6 Amps	Each	3700	0
481	Contactor DP switch 32A	Each	0	0
482	Contactor DP switch 40 A	Each	0	0
483	Contactor DP switch 63A	Each	0	0
484	Contactor TP switch. 32A	Each	0	0
485	Contactor TP switch. 40 A	Each	0	0
486	Contactor TP switch. 63A	Each	0	0
487	Jointing kits 16 sq mm	Each	0	0
488	Jointing kits 25 sqmm	Each	0	0
489	Jointing kits 35 sq mm	Each	0	0
490	Supplying of Maple type LED decorative Post top luminaires for 360 degree indirect light, resistant to impact and corrosion and glare free for better uniformity with IP 65 protection upto 40W	Each	3700	0

Sl no	Description of Goods	Unit	KARMA TSHONGKHANG, S/jongkhar	BAIJNATH GUPTA & SONS, S/Jongkhar
491	housing high powered LED street light luminaire, having professional high quality optic leans for wide angle beam, >100 lm/W, drive efficiency >90% , IP 65 protection class I, CRI >75, PF>0.95, surge protection 5KV,operating range 120270V 50HZ, with lens & toughen glass including all accessories; driver, lamps 90W	Each	7100	0
492	housing high powered LED street light luminaire, having professional high quality optic leans for wide angle beam, >100 lm/W, drive efficiency >90% , IP 65 protection class I, CRI >75, PF>0.95, surge protection 5KV,operating range 120270V 50HZ, with lens & toughen glass including all accessories; driver, lamps 90W	Each	16000	0
493	housing high powered LED street light luminaire, having professional high quality optic leans for wide angle beam, >100 lm/W, drive efficiency >90% , IP 65 protection class I, CRI >75, PF>0.95, surge protection 5KV,operating range 120270V 50HZ, with lens & toughen glass including all accessories; driver, lamps 100 W	Each	21000	0
494	housing high powered LED street light luminaire, having professional high quality optic leans for wide angle beam, >100 lm/W, drive efficiency >90% , IP 65 protection class I, CRI >75, PF>0.95, surge protection 5KV,operating range 120270V 50HZ, with lens & toughen glass including all accessories; driver, lamps 60 W	Each	0	0
495	(2 section) (Model AL 103) Locks at any required height and adjustable Description : Side .c. section 65mm X 38mm Steps 25.4mm dia non slip corrugated tubing permanent punching in machine, fitted & operate with (Nylon) Polypropylene Rope pulley arrangement with bracket, lockable stoppers, solid rubber shoes and caps. (10 Ft to 45 Ft extended height)	Each	15000	0
496	(Model AL 105) It can locks at any required height and adjustable. Description : Side 'c section 65mm X 38mmSteps 25.4mm dia non slip corrugated tubing permanent punching in machine, fitted & operate with (Nylon) Polypropylene Rope pulley arrangement It with bracket, lockable stoppers, solid rubber shoes and caps (10 Ft to 45 Ft extended height)	Each	28000	0