

RWSS 2019-20

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 1 | GI Pipe, Heavy duty: 4inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm | 1100 |
| 2 | GI Pipe, Heavy duty: 3inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 730 |
| 3 | GI Pipe, Heavy duty: 2inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 480 |
| 4 | GI Pipe, Heavy duty: 1 1/2inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 400 |
| 5 | GI Pipe, Heavy duty: 1inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 230 |
| 6 | GI Pipe, Heavy duty: 3/4inchdia : IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 165 |
| 7 | GI Pipe, Heavy duty:1/2inchdia: IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both end male threaded BS 21 and greased.Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6m,tolerance+ 15cm and-0cm. | 130 |
| 8 | GI pipe, Heavy duty cut piece: 15cm long: 3inch dia GI Pipe | 160 |
| 9 | GI pipe, Heavy duty cut piece: 20cm long: 3inch dia GI Pipe | 280 |
| 10 | GI pipe, Heavy duty cut piece: 25 cm long: 3inch dia GI Pipe | 300 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 11 | GI pipe, Heavy duty cut piece: 30 cm long: 3inch dia GI Pipe | 300 |
| 12 | GI pipe, Heavy duty cut piece: 35 cm long: 3inch dia GI Pipe | 350 |
| 13 | GI pipe, Heavy duty cut piece: 40 cm long: 3inch dia GI Pipe | 400 |
| 14 | GI pipe, Heavy duty cut piece: 45 cm long: 3inch dia GI Pipe | 450 |
| 15 | GI pipe, Heavy duty cut piece: 50cm long: 3inch dia GI Pipe | 450 |
| 16 | GI pipe, Heavy duty cut piece: 65 cm long: 3inch dia GI Pipe | 570 |
| 17 | 70cm long: 3inch dia GI Pipe | 600 |
| 18 | GI pipe, Heavy duty cut piece: 75 cm long: 3inch dia GI Pipe | 600 |
| 19 | GI pipe, Heavy duty cut piece: 80 cm long: 3inch dia GI Pipe | 750 |
| 20 | GI pipe, Heavy duty cut piece: 85 cm long: 3inch dia GI Pipe | 700 |
| 21 | GI pipe, Heavy duty cut piece: 90 cm long: 3inch dia GI Pipe | 700 |
| 22 | GI pipe, Heavy duty cut piece: 95 cm long: 3inch dia GI Pipe | 750 |
| 23 | GI pipe, Heavy duty cut piece: 100 cm long: 3inch dia GI Pipe | 800 |
| 24 | GI pipe, Heavy duty cut piece: 110 cm long: 3inch dia GI Pipe | 850 |
| 25 | GI pipe, Heavy duty cut piece: 120 cm long: 3inch dia GI Pipe | 1100 |
| 26 | GI pipe, Heavy duty cut piece: 125 cm long: 3inch dia GI Pipe | 1100 |
| 27 | GI pipe, Heavy duty cut piece: 130 cm long: 3inch dia GI Pipe | 1200 |
| 28 | GI pipe, Heavy duty cut piece: 140 cm long: 3inch dia GI Pipe | 1300 |
| 29 | GI pipe, Heavy duty cut piece: 145 cm long: 3inch dia GI Pipe | 1350 |
| 30 | GI pipe, Heavy duty cut piece: 160 cm long: 3inch dia GI Pipe | 1500 |
| 31 | GI pipe, Heavy duty cut piece: 170 cm long: 3inch dia GI Pipe | 1700 |
| 32 | GI pipe, Heavy duty cut piece: 175 cm long: 3inch dia GI Pipe | 1100 |
| 33 | GI pipe, Heavy duty cut piece: 180 cm long: 3inch dia GI Pipe | 1200 |
| 34 | GI pipe, Heavy duty cut piece: 185 cm long: 3inch dia GI Pipe | 1200 |
| 35 | GI pipe, Heavy duty cut piece: 190 cm long: 3inch dia GI Pipe | 1300 |
| 36 | GI pipe, Heavy duty cut piece: 195 cm long: 3inch dia GI Pipe | 1300 |
| 37 | GI pipe, Heavy duty cut piece: 200 cm long: 3inch dia GI Pipe | 1400 |
| 38 | GI pipe, Heavy duty cut piece: 210 cm long: 3inch dia GI Pipe | 1400 |
| 39 | GI pipe, Heavy duty cut piece: 220 cm long: 3inch dia GI Pipe | 1450 |
| 40 | GI pipe, Heavy duty cut piece : 230 cm long: 3inch dia GI Pipe | 1450 |
| 41 | GI pipe, Heavy duty cut piece : 240 cm long: 3inch dia GI Pipe | 1500 |
| 42 | GI pipe, Heavy duty cut piece: 250 cm long: 3inch dia GI Pipe | 1500 |
| 43 | GI pipe, Heavy duty cut piece : 260 cm long: 3inch dia GI Pipe | 1600 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 44 | GI pipe, Heavy duty cut piece: 270 cm long: 3inch dia GI Pipe | 1800 |
| 45 | GI pipe, Heavy duty cut piece: 280 cm long: 3inch dia GI Pipe | 1800 |
| 46 | GI pipe, Heavy duty cut piece: 290 cm long: 3inch dia GI Pipe | 1900 |
| 47 | GI pipe, Heavy duty cut piece: 295 cm long: 3inch dia GI Pipe | 1900 |
| 48 | GI pipe, Heavy duty cut piece: 300 cm long: 3inch dia GI Pipe | 2100 |
| 49 | GI pipe, Heavy duty cut piece: 15cm long: 2inch dia GI Pipe | 80 |
| 50 | GI pipe, Heavy duty cut piece: 20cm long: 2inch dia GI Pipe | 80 |
| 51 | GI pipe, Heavy duty cut piece: 25 cm long: 2inch dia GI Pipe | 80 |
| 52 | GI pipe, Heavy duty cut piece: 30 cm long: 2inch dia GI Pipe | 190 |
| 53 | GI pipe, Heavy duty cut piece: 35 cm long: 2inch dia GI Pipe | 200 |
| 54 | GI pipe, Heavy duty cut piece: 40 cm long: 2inch dia GI Pipe | 250 |
| 55 | GI pipe, Heavy duty cut piece: 45 cm long: 2inch dia GI Pipe | 250 |
| 56 | GI pipe, Heavy duty cut piece: 50cm long: 2inch dia GI Pipe | 250 |
| 57 | GI pipe, Heavy duty cut piece: 65 cm long: 2inch dia GI Pipe | 300 |
| 58 | 70cm long: 2inch dia GI Pipe | 370 |
| 59 | GI pipe, Heavy duty cut piece: 75 cm long: 2inch dia GI Pipe | 380 |
| 60 | GI pipe, Heavy duty cut piece: 80 cm long: 2inch dia GI Pipe | 400 |
| 61 | GI pipe, Heavy duty cut piece: 85 cm long: 2inch dia GI Pipe | 400 |
| 62 | GI pipe, Heavy duty cut piece: 90 cm long: 2inch dia GI Pipe | 450 |
| 63 | GI pipe, Heavy duty cut piece: 95 cm long: 2inch dia GI Pipe | 450 |
| 64 | GI pipe, Heavy duty cut piece: 100 cm long: 2inch dia GI Pipe | 500 |
| 65 | GI pipe, Heavy duty cut piece: 110 cm long: 2inch dia GI Pipe | 500 |
| 66 | GI pipe, Heavy duty cut piece: 120 cm long: 2inch dia GI Pipe | 560 |
| 67 | GI pipe, Heavy duty cut piece: 125 cm long: 2inch dia GI Pipe | 560 |
| 68 | GI pipe, Heavy duty cut piece: 130 cm long: 2inch dia GI Pipe | 580 |
| 69 | GI pipe, Heavy duty cut piece: 140 cm long: 2inch dia GI Pipe | 600 |
| 70 | GI pipe, Heavy duty cut piece: 145 cm long: 2inch dia GI Pipe | 650 |
| 71 | GI pipe, Heavy duty cut piece: 160 cm long: 2inch dia GI Pipe | 700 |
| 72 | GI pipe, Heavy duty cut piece: 170 cm long: 2inch dia GI Pipe | 780 |
| 73 | GI pipe, Heavy duty cut piece: 175 cm long: 2inch dia GI Pipe | 790 |
| 74 | GI pipe, Heavy duty cut piece: 180 cm long: 2inch dia GI Pipe | 800 |
| 75 | GI pipe, Heavy duty cut piece: 185 cm long: 2inch dia GI Pipe | 800 |
| 76 | GI pipe, Heavy duty cut piece: 190 cm long: 2inch dia GI Pipe | 900 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 77 | GI pipe, Heavy duty cut piece: 195 cm long: 2inch dia GI Pipe | 900 |
| 78 | GI pipe, Heavy duty cut piece: 200 cm long: 2inch dia GI Pipe | 950 |
| 79 | GI pipe, Heavy duty cut piece: 210 cm long: 2inch dia GI Pipe | 950 |
| 80 | GI pipe, Heavy duty cut piece: 220 cm long: 2inch dia GI Pipe | 980 |
| 81 | GI pipe, Heavy duty cut piece : 230 cm long: 2inch dia GI Pipe | 1100 |
| 82 | GI pipe, Heavy duty cut piece : 240 cm long: 2inch dia GI Pipe | 1200 |
| 83 | GI pipe, Heavy duty cut piece: 250 cm long: 2inch dia GI Pipe | 1300 |
| 84 | GI pipe, Heavy duty cut piece : 260 cm long: 2inch dia GI Pipe | 1100 |
| 85 | GI pipe, Heavy duty cut piece: 270 cm long: 2inch dia GI Pipe | 1200 |
| 86 | GI pipe, Heavy duty cut piece: 280 cm long: 2inch dia GI Pipe | 1300 |
| 87 | GI pipe, Heavy duty cut piece: 290 cm long: 2inch dia GI Pipe | 1300 |
| 88 | GI pipe, Heavy duty cut piece: 295 cm long: 2inch dia GI Pipe | 1300 |
| 89 | GI pipe, Heavy duty cut piece: 300 cm long: 2inch dia GI Pipe | 1300 |
| 90 | GI pipe, Heavy duty cut piece: 15cm long: 1.5inch dia GI Pipe | 80 |
| 91 | GI pipe, Heavy duty cut piece: 20cm long: 1.5inch dia GI Pipe | 90 |
| 92 | GI pipe, Heavy duty cut piece: 25 cm long: 1.5inch dia GI Pipe | 150 |
| 93 | GI pipe, Heavy duty cut piece: 30 cm long: 1.5inch dia GI Pipe | 150 |
| 94 | GI pipe, Heavy duty cut piece: 35 cm long: 1.5inch dia GI Pipe | 160 |
| 95 | GI pipe, Heavy duty cut piece: 40 cm long: 1.5inch dia GI Pipe | 200 |
| 96 | GI pipe, Heavy duty cut piece: 45 cm long: 1.5inch dia GI Pipe | 210 |
| 97 | GI pipe, Heavy duty cut piece: 50cm long: 1.5inch dia GI Pipe | 220 |
| 98 | GI pipe, Heavy duty cut piece: 65 cm long: 1.5inch dia GI Pipe | 300 |
| 99 | 70cm long: 1.5inch dia GI Pipe | 300 |
| 100 | GI pipe, Heavy duty cut piece: 75 cm long: 1.5inch dia GI Pipe | 350 |
| 101 | GI pipe, Heavy duty cut piece: 80 cm long: 1.5inch dia GI Pipe | 350 |
| 102 | GI pipe, Heavy duty cut piece: 85 cm long: 1.5inch dia GI Pipe | 350 |
| 103 | GI pipe, Heavy duty cut piece: 90 cm long: 1.5inch dia GI Pipe | 300 |
| 104 | GI pipe, Heavy duty cut piece: 95 cm long: 1.5inch dia GI Pipe | 310 |
| 105 | GI pipe, Heavy duty cut piece: 100 cm long: 1.5inch dia GI Pipe | 350 |
| 106 | GI pipe, Heavy duty cut piece: 110 cm long: 1.5inch dia GI Pipe | 350 |
| 107 | GI pipe, Heavy duty cut piece: 120 cm long: 1.5inch dia GI Pipe | 350 |
| 108 | GI pipe, Heavy duty cut piece: 125 cm long: 1.5inch dia GI Pipe | 350 |
| 109 | GI pipe, Heavy duty cut piece: 130 cm long: 1.5inch dia GI Pipe | 380 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 110 | GI pipe, Heavy duty cut piece: 140 cm long: 1.5inch dia GI Pipe | 380 |
| 111 | GI pipe, Heavy duty cut piece: 145 cm long: 1.5inch dia GI Pipe | 380 |
| 112 | GI pipe, Heavy duty cut piece: 160 cm long: 1.5inch dia GI Pipe | 400 |
| 113 | GI pipe, Heavy duty cut piece: 170 cm long: 1.5inch dia GI Pipe | 400 |
| 114 | GI pipe, Heavy duty cut piece: 175 cm long: 1.5inch dia GI Pipe | 400 |
| 115 | GI pipe, Heavy duty cut piece: 180 cm long: 1.5inch dia GI Pipe | 600 |
| 116 | GI pipe, Heavy duty cut piece: 185 cm long: 1.5inch dia GI Pipe | 650 |
| 117 | GI pipe, Heavy duty cut piece: 190 cm long: 1.5inch dia GI Pipe | 650 |
| 118 | GI pipe, Heavy duty cut piece: 195 cm long: 1.5inch dia GI Pipe | 650 |
| 119 | GI pipe, Heavy duty cut piece: 200 cm long: 1.5inch dia GI Pipe | 700 |
| 120 | GI pipe, Heavy duty cut piece: 210 cm long: 1.5inch dia GI Pipe | 710 |
| 121 | GI pipe, Heavy duty cut piece: 220 cm long: 1.5inch dia GI Pipe | 750 |
| 122 | GI pipe, Heavy duty cut piece : 230 cm long: 1.5inch dia GI Pipe | 790 |
| 123 | GI pipe, Heavy duty cut piece : 240 cm long: 1.5inch dia GI Pipe | 800 |
| 124 | GI pipe, Heavy duty cut piece: 250 cm long: 1.5inch dia GI Pipe | 850 |
| 125 | GI pipe, Heavy duty cut piece : 260 cm long: 1.5inch dia GI Pipe | 850 |
| 126 | GI pipe, Heavy duty cut piece: 270 cm long: 1.5inch dia GI Pipe | 850 |
| 127 | GI pipe, Heavy duty cut piece: 280 cm long: 1.5inch dia GI Pipe | 850 |
| 128 | GI pipe, Heavy duty cut piece: 290 cm long: 1.5inch dia GI Pipe | 900 |
| 129 | GI pipe, Heavy duty cut piece: 295 cm long: 1.5inch dia GI Pipe | 900 |
| 130 | GI pipe, Heavy duty cut piece: 300 cm long: 1.5inch dia GI Pipe | 950 |
| 131 | GI pipe, Heavy duty cut piece: 15cm long: 1inch dia GI Pipe | 10 |
| 132 | GI pipe, Heavy duty cut piece: 20cm long: 1inch dia GI Pipe | 15 |
| 133 | GI pipe, Heavy duty cut piece: 25 cm long: 1inch dia GI Pipe | 15 |
| 134 | GI pipe, Heavy duty cut piece: 30 cm long: 1inch dia GI Pipe | 40 |
| 135 | GI pipe, Heavy duty cut piece: 35 cm long: 1inch dia GI Pipe | 40 |
| 136 | GI pipe, Heavy duty cut piece: 40 cm long: 1inch dia GI Pipe | 45 |
| 137 | GI pipe, Heavy duty cut piece: 45 cm long: 1inch dia GI Pipe | 60 |
| 138 | GI pipe, Heavy duty cut piece: 50cm long: 1inch dia GI Pipe | 80 |
| 139 | GI pipe, Heavy duty cut piece: 65 cm long: 1inch dia GI Pipe | 200 |
| 140 | GI pipe, Heavy duty cut piece: 70cm long: 1inch dia GI Pipe | 200 |
| 141 | GI pipe, Heavy duty cut piece: 75 cm long: 1inch dia GI Pipe | 280 |
| 142 | GI pipe, Heavy duty cut piece: 80 cm long: 1inch dia GI Pipe | 300 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 143 | GI pipe, Heavy duty cut piece: 85 cm long: 1inch dia GI Pipe | 300 |
| 144 | GI pipe, Heavy duty cut piece: 90 cm long: 1inch dia GI Pipe | 300 |
| 145 | GI pipe, Heavy duty cut piece: 95 cm long: 1inch dia GI Pipe | 300 |
| 146 | GI pipe, Heavy duty cut piece: 100 cm long: 1inch dia GI Pipe | 300 |
| 147 | GI pipe, Heavy duty cut piece: 110 cm long: 1inch dia GI Pipe | 300 |
| 148 | GI pipe, Heavy duty cut piece: 120 cm long: 1inch dia GI Pipe | 350 |
| 149 | GI pipe, Heavy duty cut piece: 125 cm long: 1inch dia GI Pipe | 380 |
| 151 | GI pipe, Heavy duty cut piece: 130 cm long: 1inch dia GI Pipe | 400 |
| 152 | GI pipe, Heavy duty cut piece: 140 cm long: 1inch dia GI Pipe | 450 |
| 153 | GI pipe, Heavy duty cut piece: 145 cm long: 1inch dia GI Pipe | 450 |
| 154 | GI pipe, Heavy duty cut piece: 160 cm long: 1inch dia GI Pipe | 460 |
| 155 | GI pipe, Heavy duty cut piece: 170 cm long: 1inch dia GI Pipe | 460 |
| 156 | GI pipe, Heavy duty cut piece: 175 cm long: 1inch dia GI Pipe | 480 |
| 157 | GI pipe, Heavy duty cut piece: 180 cm long: 1inch dia GI Pipe | 480 |
| 158 | GI pipe, Heavy duty cut piece: 185 cm long: 1inch dia GI Pipe | 480 |
| 159 | GI pipe, Heavy duty cut piece: 190 cm long: 1inch dia GI Pipe | 480 |
| 160 | GI pipe, Heavy duty cut piece: 195 cm long: 1inch dia GI Pipe | 500 |
| 161 | GI pipe, Heavy duty cut piece: 200 cm long: 1inch dia GI Pipe | 500 |
| 162 | GI pipe, Heavy duty cut piece: 210 cm long: 1inch dia GI Pipe | 520 |
| 163 | GI pipe, Heavy duty cut piece: 220 cm long: 1inch dia GI Pipe | 520 |
| 164 | GI pipe, Heavy duty cut piece : 230 cm long: 1inch dia GI Pipe | 530 |
| 165 | GI pipe, Heavy duty cut piece : 240 cm long: 1inch dia GI Pipe | 550 |
| 166 | GI pipe, Heavy duty cut piece: 250 cm long: 1inch dia GI Pipe | 550 |
| 167 | GI pipe, Heavy duty cut piece : 260 cm long: 1inch dia GI Pipe | 560 |
| 168 | GI pipe, Heavy duty cut piece: 270 cm long: 1inch dia GI Pipe | 560 |
| 169 | GI pipe, Heavy duty cut piece: 280 cm long: 1inch dia GI Pipe | 590 |
| 170 | GI pipe, Heavy duty cut piece: 290 cm long: 1inch dia GI Pipe | 590 |
| 171 | GI pipe, Heavy duty cut piece: 295 cm long: 1inch dia GI Pipe | 600 |
| 172 | GI pipe, Heavy duty cut piece: 300 cm long: 1inch dia GI Pipe | 700 |
| 173 | GI pipe, Heavy duty cut piece: 15cm long: 1/2inch dia GI Pipe | 10 |
| 174 | GI pipe, Heavy duty cut piece: 20cm long: 1/2inch dia GI Pipe | 10 |
| 175 | GI pipe, Heavy duty cut piece: 25 cm long: 1/2inch dia GI Pipe | 15 |
| 176 | GI pipe, Heavy duty cut piece: 30 cm long: 1/2inch dia GI Pipe | 30 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 177 | GI pipe, Heavy duty cut piece: 35 cm long: 1/2inch dia GI Pipe | 35 |
| 178 | GI pipe, Heavy duty cut piece: 40 cm long: 1/2inch dia GI Pipe | 40 |
| 179 | GI pipe, Heavy duty cut piece: 45 cm long: 1/2inch dia GI Pipe | 45 |
| 180 | GI pipe, Heavy duty cut piece: 50cm long: 1/2inch dia GI Pipe | 50 |
| 181 | GI pipe, Heavy duty cut piece: 65 cm long: 1/2inch dia GI Pipe | 50 |
| 182 | GI pipe, Heavy duty cut piece: 70cm long: 1/2inch dia GI Pipe | 50 |
| 183 | GI pipe, Heavy duty cut piece: 75 cm long: 1/2inch dia GI Pipe | 170 |
| 184 | GI pipe, Heavy duty cut piece: 80 cm long: 1/2inch dia GI Pipe | 170 |
| 185 | GI pipe, Heavy duty cut piece: 85 cm long: 1/2inch dia GI Pipe | 190 |
| 186 | GI pipe, Heavy duty cut piece: 90 cm long: 1/2inch dia GI Pipe | 200 |
| 187 | GI pipe, Heavy duty cut piece: 95 cm long: 1/2inch dia GI Pipe | 200 |
| 188 | GI pipe, Heavy duty cut piece: 100 cm long: 1/2inch dia GI Pipe | 250 |
| 189 | GI pipe, Heavy duty cut piece: 110 cm long: 1/2inch dia GI Pipe | 260 |
| 190 | GI pipe, Heavy duty cut piece: 120 cm long: 1/2inch dia GI Pipe | 280 |
| 191 | GI pipe, Heavy duty cut piece: 125 cm long: 1/2inch dia GI Pipe | 280 |
| 192 | GI pipe, Heavy duty cut piece: 130 cm long: 1/2inch dia GI Pipe | 220 |
| 193 | GI pipe, Heavy duty cut piece: 140 cm long: 1/2inch dia GI Pipe | 250 |
| 194 | GI pipe, Heavy duty cut piece: 145 cm long: 1/2inch dia GI Pipe | 250 |
| 195 | GI pipe, Heavy duty cut piece: 160 cm long: 1/2inch dia GI Pipe | 250 |
| 196 | GI pipe, Heavy duty cut piece: 170 cm long: 1/2inch dia GI Pipe | 280 |
| 197 | GI pipe, Heavy duty cut piece: 175 cm long: 1/2inch dia GI Pipe | 280 |
| 198 | GI pipe, Heavy duty cut piece: 180 cm long: 1/2inch dia GI Pipe | 290 |
| 199 | GI pipe, Heavy duty cut piece: 185 cm long: 1/2inch dia GI Pipe | 290 |
| 200 | GI pipe, Heavy duty cut piece: 190 cm long: 1/2inch dia GI Pipe | 300 |
| 201 | GI pipe, Heavy duty cut piece: 195 cm long: 1/2inch dia GI Pipe | 300 |
| 202 | GI pipe, Heavy duty cut piece: 200 cm long: 1/2inch dia GI Pipe | 350 |
| 203 | GI pipe, Heavy duty cut piece: 210 cm long: 1/2inch dia GI Pipe | 350 |
| 204 | GI pipe, Heavy duty cut piece: 220 cm long: 1/2inch dia GI Pipe | 380 |
| 205 | GI pipe, Heavy duty cut piece : 230 cm long: 1/2inch dia GI Pipe | 390 |
| 206 | GI pipe, Heavy duty cut piece : 240 cm long: 1/2inch dia GI Pipe | 400 |
| 207 | GI pipe, Heavy duty cut piece: 250 cm long: 1/2inch dia GI Pipe | 400 |
| 208 | GI pipe, Heavy duty cut piece : 260 cm long: 1/2inch dia GI Pipe | 400 |
| 209 | GI pipe, Heavy duty cut piece: 270 cm long: 1/2inch dia GI Pipe | 410 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 210 | GI pipe, Heavy duty cut piece: 280 cm long: 1/2inch dia GI Pipe | 420 |
| 211 | GI pipe, Heavy duty cut piece: 290 cm long: 1/2inch dia GI Pipe | 420 |
| 212 | GI pipe, Heavy duty cut piece: 295 cm long: 1/2inch dia GI Pipe | 420 |
| 213 | GI pipe, Heavy duty cut piece: 300 cm long: 1/2inch dia GI Pipe | 450 |
| 214 | 110mmx4inch flange set: IS 4984/87 | 500 |
| 215 | 90mmx3inch flange set: IS 4984/87 | 400 |
| 216 | 63mmx2inch flange set: IS 4984/87 | 200 |
| 217 | 50mmx1 1/2inch flange set: IS 4984/87 | 200 |
| 218 | Brass Union : 63mmx2inch | 900 |
| 219 | Brass Union: 50mmx1 1/2inch | 700 |
| 220 | Brass Union: 32mmx1inch | 400 |
| 221 | Brass Union: 20mmx1 1/2inch | 300 |
| 222 | GI bend 4inchx 30 degree | 800 |
| 223 | GI bend: 4inchx 45 degree | 900 |
| 224 | GI bend: 4inchx 90 degree | 1100 |
| 225 | GI bend: 3inchx 30 degree | 900 |
| 226 | GI bend: 3inchx 45 degree | 800 |
| 227 | GI bend: 3inchx 90 degree | 800 |
| 228 | GI bend: 2inchx 30 degree | 700 |
| 229 | GI bend: 2inchx 45 degree | 700 |
| 230 | GI bend: 2inchx 90 degree | 700 |
| 231 | GI bend: 1 1/2inchx 30 degree | 500 |
| 232 | GI bend: 1 1/2inchx 45 degree | 500 |
| 233 | GI bend: 1 1/2inchx 90 degree | 500 |
| 234 | GI Elbow: IS 1879/1987 | 0 |
| 235 | GI Elbow: IS 1879/1987: 4inch | 480 |
| 236 | GI Elbow: IS 1879/1987: 3inch | 250 |
| 237 | GI Elbow: IS 1879/1987: 2inch | 120 |
| 238 | GI Elbow: IS 1879/1987: 1 1/2inch | 80 |
| 239 | GI Elbow: IS 1879/1987: 1inch | 40 |
| 240 | GI Elbow: IS 1879/1987: 3/4inch | 30 |
| 241 | GI Elbow: IS 1879/1987: 1/2inch | 20 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 242 | GI Nipple: 4inch length=10cm: tolence +0cm 2cm IS1879:1987 length=10cm: tolence +0cm 2cm IS1879:1987 | 170 |
| 243 | GI Nipple: 3inch length=10cm: tolence +0cm 2cm IS1879:1987 | 150 |
| 244 | GI Nipple: 2inch length=10cm: tolence +0cm 2cm IS1879:1987 | 50 |
| 245 | GI Nipple: 1 1/2inch length=10cm: tolence +0cm 2cm IS1879:1987 | 40 |
| 246 | GI Nipple: 1inch length=10cm: tolence +0cm 2cm IS1879:1987 | 30 |
| 247 | GI Nipple: 3/4inch length=10cm: tolence +0cm 2cm IS1879:1987 | 25 |
| 248 | GI Nipple: 1/2inch length=10cm: tolence +0cm 2cm IS1879:1987 | 15 |
| 249 | GI Reducer 4inchx 3inch IS 1879:1987 | 350 |
| 250 | GI Reducer 3inchx 2inch IS 1879:1987 | 180 |
| 251 | GI Reducer 2inchx 1 1/2inch IS 1879:1987 | 90 |
| 252 | GI Reducer 1 1/2inchx 1inch IS 1879:1987 | 60 |
| 253 | GI Reducer 1 1/2inchx 1/2inch IS 1879:1987 | 60 |
| 254 | GI Reducer 1inchx 1/2inch IS 1879:1987 | 30 |
| 255 | GI Sockets 1/2ft IS 1879:1987 | 12 |
| 256 | GI Sockets 3/4inch IS 1879:1987 | 20 |
| 257 | GI Sockets 1inch IS 1879:1987 | 35 |
| 258 | GI Sockets 1 1/2inch IS 1879:1987 | 45 |
| 259 | GI Sockets 2inch IS 1879:1987 | 80 |
| 260 | GI Sockets 3inch IS 1879:1987 | 170 |
| 261 | GI Sockets 4inch IS 1879:1987 | 280 |
| 262 | GI Equal Tee 1/2ft IS 1879:1987 | 20 |
| 263 | GI Equal Tee 3/4inch IS 1879:1987 | 30 |
| 264 | GI Equal Tee 1inch IS 1879:1987 | 40 |
| 265 | GI Equal Tee 1 1/2inch IS 1879:1987 | 70 |
| 266 | GI Equal Tee 2inch IS 1879:1987 | 135 |
| 267 | GI Equal Tee 3inch IS 1879:1987 | 350 |
| 268 | GI Equal Tee 4inch IS 1879:1987 | 400 |
| 269 | GI Unequal Tee 4inchx 4inchx 3/4inch IS 1879:1987 | 600 |
| 270 | GI Unequal Tee 4inchx 4inchx 1/2inch IS 1879:1987 | 550 |
| 271 | GI Unequal Tee 3inchx 3inchx 3/4inch IS 1879:1987 | 380 |
| 272 | GI Unequal Tee 3inchx 3inchx 1/2inch IS 1879:1987 | 350 |
| 273 | GI Unequal Tee 2inch x2inch x 3/4inch IS 1879:1987 | 350 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 274 | GI Unequal Tee 2inch x2inch x 1/2inch IS 1879:1987 | 355 |
| 275 | GI Unequal Tee 11/2inchx 11/2inchx3/4inch IS 1879:1987 | 100 |
| 276 | GI Unequal Tee 11/2inchx 11/2inchx1/2inch IS 1879:1987 | 100 |
| 277 | GI Unequal Tee 1inchx 1inchx 3/4inch IS 1879:1987 | 60 |
| 278 | GI Unequal Tee 1inchx 1inchx 1/2inch IS 1879:1987 | 60 |
| 279 | GI Union 1/2ft IS 1879:1987 | 60 |
| 280 | GI Union 3/4inch IS 1879:1987 | 80 |
| 281 | GI Union 1inch IS 1879:1987 | 90 |
| 282 | GI Union 11/2inch IS 1879:1987 | 170 |
| 283 | GI Union 2inch IS 1879:1987 | 170 |
| 284 | GI Union 3inch IS 1879:1987 | 400 |
| 285 | GI Union 4inch IS 1879:1987 | 590 |
| 286 | Brass Gate Valve 1/2ft Class1.1.5 Mpa IS 778-84 | 350 |
| 287 | Brass Gate Valve 3/4inch Class1.1.5 Mpa IS 778-84 | 400 |
| 288 | Brass Gate Valve 1inch Class1.1.5 Mpa IS 778-84 | 600 |
| 289 | Brass Gate Valve 11/2inch Class1.1.5 Mpa IS 778-84 | 900 |
| 290 | Brass Gate Valve 2inch Class1.1.5 Mpa IS 778-84 | 1700 |
| 291 | Brass Gate Valve 3inch Class1.1.5 Mpa IS 778-84 | 3000 |
| 292 | Brass Gate Valve 4inch Class1.1.5 Mpa IS 778-84 | 12000 |
| 293 | Brass Globe Valve 1/2ft Class1.1.5 Mpa IS 778-84 | 350 |
| 294 | Brass Globe Valve 3/4inch Class1.1.5 Mpa IS 778-84 | 400 |
| 295 | Brass Globe Valve 1inch Class1.1.5 Mpa IS 778-84 | 600 |
| 296 | Brass Globe Valve 11/2inch Class1.1.5 Mpa IS 778-84 | 1500 |
| 297 | Tapstand Regulating Valve set Class1.1.5 Mpa IS 778-84 1/2inch | 400 |
| 298 | Regulating Valve key as per sample and drawing | 120 |
| 299 | Air release valve 1/2ft Heavy duty 450 gram brass, Male threaded IS-781, with spare washersheet | 1500 |
| 300 | Brass tap Heavy duty 1/2inch | 230 |
| 301 | Jayson tap 1/2inchWNT | 0 |
| 302 | Float valve 1/2ft: Copper or brass made, Min wt +20gms,-0gms see attached PHED drawing | 1200 |
| 303 | Float valve 1inch: Copper or brass made, Min wt +20gms,-0gms see attached PHED drawing | 1900 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 304 | Float valve 1 1/2inch: Copper or brass made, Min wt +20gms,-0gms see attached PHED drawing | 2800 |
| 305 | Float valve 2inch: Copper or brass made, Min wt +20gms,-0gms see attached PHED drawing | 3100 |
| 306 | Gi pipe of heavy duty,Burrs removed,cuttet edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcapand pipe screwed together. As per the PHE non standard drawing and sample | 0 |
| 307 | Valve box with endcap 4inch Gi pipe of heavy duty,Burrs removed,cuttet edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcapand pipe screwed together. As per the PHE non standard drawing and sample | 1700 |
| 308 | Valve box with endcap 3inch Gi pipe of heavy duty,Burrs removed,cuttet edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcapand pipe screwed together. As per the PHE non standard drawing and sample | 1600 |
| 309 | Valve box with endcap 2 1/2inch Gi pipe of heavy duty,Burrs removed,cuttet edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcapand pipe screwed together. As per the PHE non standard drawing and sample | 1100 |
| 310 | Valve box with endcap 2inch Gi pipe of heavy duty,Burrs removed,cuttet edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcapand pipe screwed together. As per the PHE non standard drawing and sample | 1000 |
| 311 | Valve box key with 3 points 2inch as per PHE sample and drawing | 350 |
| 312 | Valve box key with 3 points1 1/2inch as per PHE sample and drawing | 300 |
| 313 | Valve box key with 3 points1inch as per PHE sample and drawing | 250 |
| 314 | Valve box key with 3 points 1/2inch as per PHE sample and drawing | 200 |
| 315 | GI Threaded single flange 2inch as per PHE sample and drawing | 200 |
| 316 | PVC Socket 110mm dia | 80 |
| 317 | PVC door bend 110mm dia | 120 |
| 318 | PVC pipe 200mm dia | 3000 |
| 319 | PVC pipe 110mm dia,3 m long | 150 |
| 320 | PVC pipe 100mm dia,3 m long | 150 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 321 | Creosote oil IS-120-1983 strong leak proof container of one litre can | 0 |
| 322 | Bag jute 24inchx40inch hessian jute 10 OZ | 0 |
| 323 | MS holding down bolts 16mmx300mm | 700 |
| 324 | MS holding down bolts 12mmx150mm | 600 |
| 325 | MS holding down bolts 12mmx260mm | 500 |
| 326 | MS holding down bolts 12mmx260mmwith washer | 500 |
| 327 | Bulldog grip, 13mm IS 2361:1994 | 400 |
| 328 | Wire rope cable, 13mm | 0 |
| 329 | Pipe joining compound in 1/2kg pot Graphite pipe joining compound for drinking water purpose, Re-sealable pots | 0 |
| 330 | Door bolt 10inchset | 180 |
| 331 | Tower bolt,6inch | 30 |
| 332 | Door bolt 8inchset | 150 |
| 333 | MS tower bolt 200mm | 50 |
| 334 | GI tower bolt 200mm | 60 |
| 335 | Sliding bolt,300 mm | 180 |
| 336 | Grease in 1/2 kg pot IS 508:1987 wheel bearing grease,resealable pot | 0 |
| 337 | Hemp 1/2kg bundle packed in plastic | 0 |
| 338 | Hinges 3inch | 12 |
| 339 | Hinges 4inch | 15 |
| 340 | Hinges 5inch | 20 |
| 341 | 20 litre jerry can | 400 |
| 342 | L-hook,75mm | 120 |
| 343 | J-hook | 120 |
| 344 | Nails Galvanised wire nail sharpened | 0 |
| 345 | Nails 1/2inch Galvanised wire nail sharpened | 0 |
| 346 | Nails 1inch Galvanised wire nail sharpened | 70 |
| 347 | Nails 1 1/2inch Galvanised wire nail sharpened | 70 |
| 348 | Nails 2inch Galvanised wire nail sharpened | 66 |
| 349 | Nails 3inch Galvanised wire nail sharpened | 66 |
| 350 | Nails 4inch Galvanised wire nail sharpened | 66 |
| 351 | Nails 5inch Galvanised wire nail sharpened | 66 |
| 352 | Nails 6inch Galvanised wire nail sharpened | 66 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 353 | U- nails 8 SWG H=35mm,W=10mm sharpened | 80 |
| 354 | Roofing screw 3inch | 120 |
| 355 | Oil pressure can | 150 |
| 356 | Concrete primer in one litre can | 300 |
| 357 | Paint, white enamel in one litre can | 200 |
| 358 | Pink primer paint in 1/2 lit. | 80 |
| 359 | Synthetic enamel paint in 1/2 litre. | 80 |
| 360 | Thinner in 1 litre can | 80 |
| 361 | White primer paint | 150 |
| 362 | Prefab manhole cover & slab as per PHE drawing and specification | 1500 |
| 363 | Perforate GI Plate as per PHE drawing and specification | 0 |
| 364 | Movable slab handles | 0 |
| 365 | Ferro cement Reservoir tank slab 65mm | 0 |
| 366 | M S Rods 6mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 367 | M S Rods 8mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 368 | M S Rods 10mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 369 | M S Rods 12mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 370 | M S Rods 16mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 371 | M S Rods 20mm TMT bar grade Fe415,TOR,KarmaTMT,PCM | 54 |
| 372 | M S Plain rods 6mm dia TMT bar grade Fe415,plain | 70 |
| 373 | Sand paper | 4 |
| 374 | Screw wood 1 1/2inch Tata steel bars IS 1786/1985 Fe 415, TOR | 0 |
| 375 | Screw wood 2inch Tata steel bars IS 1786/1985 Fe 415, TOR | 0 |
| 376 | Screw wood 3inch Tata steel bars IS 1786/1985 Fe 415, TOR | 0 |
| 377 | Screw iron wood 20x6mm | 0 |
| 378 | Screw iron wood 25mm,140/Pkt | 0 |
| 379 | Screw iron wood 35mm,140/pkt | 0 |
| 380 | Aluminium screw 1inch(200pcs) | 0 |
| 381 | CGI Sheets 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 0 |
| 382 | CGI Sheets 6ftx2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 600 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 383 | CGI Sheets 7ftx2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 700 |
| 384 | CGI Sheets 8ftx2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 750 |
| 385 | CGI Sheets 9ftx2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 850 |
| 386 | CGI Sheets 10x2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 950 |
| 387 | CGI Sheets 12ftx2.5ft 24 guage,As per the approved brans of BSR 2011,Printed(Aarti Suraksha 0.60 mm and above) | 1100 |
| 388 | Hessian jute 7.5 oz width90cm,in roll 30m | 0 |
| 389 | Plastic sheet Thickness=0.0625mm width 90cm double sheet ,in roll 25m | 35 |
| 390 | Plastic sheet for spring protection.Thickness=0.125mm width 90cm double sheet ,in roll 25m | 35 |
| 391 | Thimble 8mm | 20 |
| 392 | Thimble 10mm | 20 |
| 393 | Thimble 13mm | 20 |
| 394 | Washer limpet 100/pkt | 80 |
| 395 | Bitumen washer 200/pkt | 30 |
| 396 | Barbed wire 12SWG double wired,double barbed 90 degree angle,every 10cm galvanised (IS:278/1969).in roll of 30kg weight+3kg-0kg | 2250 |
| 397 | GI Binding wire 22SWG.Inroll of 1 kg | 80 |
| 398 | Wire mesh 2mm 2.5 square opening. In roll of 20m | 200 |
| 399 | Chicken wire mesh 23SWG,hexagonal 15mm,11/2inchfull twist,double string at side,width 1mtr.in roll of 25m | 1500 |
| 400 | Black binding wire 8SWG with lightgalvanised coating. In rolls of 40kg. Wt tolerance of +3kg,-0kg | 90 |
| 401 | Plain wire guage 8SWG with light galvanised coating. In rolls of 40kg. Wt tolerance of +3kg,-0kg | 90 |
| 402 | Welded wire mesh 3inchx1inch | 70 |
| 403 | Aluminium screen(1.5x1.5mm) | 0 |
| 404 | PGI Ridging, 24G 24guage, As per the approved brands of BSR 2011,Printed Aarti Suraksha) | 60 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 405 | PGI sheet 24 g | 180 |
| 406 | Fibre glass WC pan with P trap | 1100 |
| 407 | foot rest | 100 |
| 408 | Brass door handle 4inch | 80 |
| 409 | Anodized Alu. Handle 150mm | 30 |
| 410 | Anodized Alu. latch 150mm | 30 |
| 411 | Iron bow handle 150mm | 50 |
| 412 | Anodized Alu.sliding bolt 100mm | 180 |
| 413 | Anodized Alu.sliding bolt 150mm | 180 |
| 414 | Anodized Alu.sliding bolt 200mm | 250 |
| 415 | Anodized Alu.sliding bolt 300mm | 260 |
| 416 | Anodized Alu. Hooks & eyes 20mm | 30 |
| 417 | MS flat vent pipe clamp(25x2mm) | 0 |
| 418 | MS flat for clamps(25x4mm) | 0 |
| 419 | U-shaped clamps (10mm) | 0 |
| 420 | MS framework VIDP latrine | 0 |
| 421 | MS round frame 25x3mm | 0 |
| 422 | Defection hole formwork | 0 |
| 423 | Hacksaw blade single side IS2594:1976 | 10 |
| 424 | Hacksaw blade single side IS 2594:1977 | 10 |
| 425 | Steel wire brush | 40 |
| 426 | Paint brush Standard quality, Nylon | 0 |
| 427 | Paint brush 2inch | 30 |
| 428 | Paint brush 3inch | 50 |
| 429 | Paint brush 4inch | 60 |
| 430 | Paint brush 5inch | 80 |
| 431 | Stone chisel 1/2inch | 400 |
| 432 | Stone chisel 1inch | 600 |
| 433 | Crowbar 3/4inchx54inch | 500 |
| 434 | Crowbar 32mm | 900 |
| 435 | Flat steel file 10inch | 400 |
| 436 | Half round steel file 10inch | 400 |
| 437 | Hacksaw frame Adjustable for 10inch/12inch blade | 200 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|---|-------------------|
| 438 | Mason hammer, 1/2kg | 250 |
| 439 | Sledge hammer, 1kg | 400 |
| 440 | Head pan 18inch | 150 |
| 441 | Heating plate as per,round dia 125mm, thickness 12mm, handle 420m with insulating grip, Brand: DeckftsFirefly | 1900 |
| 442 | Masonfts line 100g per roll | 50 |
| 443 | Pickaxe standard size | 350 |
| 444 | Pliers 8inch | 250 |
| 445 | Shovel | 300 |
| 446 | Blow torch | 2900 |
| 447 | Measuring tape Metal 15m length scale in cm and inch | 150 |
| 448 | Measuring tape Metal 10m length scale in cm and inch | 150 |
| 449 | Measuring tape Metal 3m length scale in cm and inch | 50 |
| 450 | Measuring tape Fibre 30m legthg scale in cm and inch | 250 |
| 451 | Teflon cover For 125mm heating plate | 1500 |
| 452 | Thermocrome Chalk crayon Indicating 200*import quality Approved brands:faber castelli(Indian made) | 0 |
| 453 | RWSS caretakerfts tool box | 10000 |
| 454 | Plumber tool box | 10000 |
| 455 | Mason tool box | 10000 |
| 456 | Trowel masonry 2inchx5inch | 70 |
| 457 | Trowel masonry 4inchx8inch | 80 |
| 458 | Pipe wrench 12inch | 380 |
| 459 | Pipe chain vice 4inch | 2900 |
| 460 | Pipe chain vice 3inch | 2500 |
| 461 | Bench vice 3inch | 1900 |
| 462 | Pipe wrench 14inch | 500 |
| 463 | Pipe wrench 18inch | 1100 |
| 464 | Pipe wrench 24inch | 1300 |
| 465 | Pipe wrench 36inch | 1900 |
| 466 | Slide wrench 12inch | 450 |
| 467 | Slide wrench 15inch | 0 |
| 468 | Pipe bending machine | 0 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 469 | Portable vice set | 2500 |
| 470 | Die set 2inchto3inch | 7000 |
| 471 | Die set 1 1/4inchto2inch | 11000 |
| 472 | Die set 1/2inchto 1inch | 3000 |
| 473 | Die bit 2inchto3inch | 0 |
| 474 | Die bit 1 1/4inchto 2inch | 0 |
| 475 | Die bit 1/2inchto 1inch | 0 |
| 476 | Die bush 3inch | 0 |
| 477 | Die bush 2inch | 0 |
| 478 | Die bush 1 1/2inch | 0 |
| 479 | Die bush 1 1/4inch | 0 |
| 480 | Die bush 1inch | 0 |
| 481 | Die bush 3/4inch | 0 |
| 482 | Die bush 1/2inch | 0 |
| 483 | Pipe cutter with wheel 2inchto4inch | 5000 |
| 484 | Pipe cutter with wheel 1/8inchto2inch | 4500 |
| 485 | Pipe cutter with wheel 1/2inchto 2inch | 4500 |
| 486 | CI manhole cover 500x500mm | 3000 |
| 487 | CI floor trap 100mm | 350 |
| 488 | MS strap 300x25x2mm | 400 |
| 489 | MS strap 125x20x3mm | 0 |
| 490 | As per approved brands of BSR-2011 | 0 |
| 491 | Water storage plastic tank 500 litres, brand approved by BSB | 3000 |
| 492 | Water storage plastic tank 1000 litres , brand approved by BSB | 7000 |
| 493 | Water storage plastic tank 1500 litres, brand approved by BSB | 10500 |
| 494 | Water storage plastic tank 2500 litres, brand approved by BSB | 17500 |
| 495 | Water storage plastic tank 3000 litre, brand approved by BSB | 21000 |
| 496 | Water storage plastic tank 3500litres, brand approved by BSB | 21000 |
| 497 | Water storage plastic tank 5000 litres, brand approved by BSB | 34000 |
| 498 | Water storage plastic tank 10000 litres, brand approved by BSB | 90000 |
| 499 | White washing lime in 15 kg tin | 340 |
| 500 | Animal glue in 1 kg/pkt | 0 |
| 501 | Sloted angle steel rack 72inchx24inch | 9500 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 502 | Steel Bibcock 1/2inch | 350 |
| 503 | Robin blue 500gm | 0 |
| 504 | CP shower head 15mm | 600 |
| 505 | CP stop cock 1/2inch | 350 |
| 506 | MS nut and bolt 8mm | 20 |
| 507 | MS wall plate 3mmthick, 100mmx75mm long | 0 |
| 508 | MS plate 6mmx5mm | 200 |
| 509 | Glass panes 4mm | 0 |
| 510 | Ply wood 4ftx8ft 4mm | 360 |
| 511 | Ply wood 4ftx8ft 6mm | 550 |
| 512 | Ply wood 4ftx8ft 8mm | 800 |
| 513 | Ply wood 4ftx8ft10mm | 900 |
| 514 | Ply wood 4ftx8ft 12mm | 1000 |
| 515 | Bitumen maxphalt 80/100 | 0 |
| 516 | MS tower bolt 6 inch | 60 |
| 517 | Leather gloves | 150 |
| 518 | Silpualine 18ftx24ft | 1200 |
| 519 | Tarpualine 18ftx24ft | 1200 |
| 520 | Chlorinated Polyvinyl Chloride (CPVC) Pipes and Fittings as per approved brand of BSB. | 0 |
| 521 | CPVC pipes and fittins 20mm | 0 |
| 522 | CPVC pipes and fittins 25mm | 300 |
| 523 | CPVC pipes and fittins 40mm | 380 |
| 524 | DI Pipes 250MM | 0 |
| 525 | DI Pipes 200MM | 0 |
| 526 | DI Pipes 150MM | 0 |
| 527 | DI Pipes 100MM | 0 |
| 528 | DI BEND (90 degree) 250MM | 0 |
| 529 | DI BEND (90 degree) 200MM | 0 |
| 530 | DI BEND (90 degree) 150MM | 0 |
| 531 | DI BEND (90 degree) 100MM | 0 |
| 532 | DI BEND (45 degree) 250MM | 0 |
| 533 | DI BEND (45 degree) 200MM | 0 |

| SI No | Description of Goods | KARMA TSHONGKHANG |
|-------|--|-------------------|
| 534 | DI BEND (45 degree) 150MM | 0 |
| 535 | DI BEND (45 degree) 100MM | 0 |
| 536 | DI Equal Tee 250MM | 0 |
| 537 | DI Equal Tee 200MM | 0 |
| 538 | DI Equal Tee 150MM | 0 |
| 539 | DI Equal Tee 100MM | 0 |
| 540 | DI Reducer TEE 250X200mm | 0 |
| 541 | DI Reducer TEE 250X150mm | 0 |
| 542 | DI Reducer TEE 250X100MM | 0 |
| 543 | DI Reducer TEE 200X150mm | 0 |
| 544 | DI Reducer TEE 200X100mm | 0 |
| 545 | DI Reducer TEE 150X100mm | 0 |
| 546 | Bleaching power(Chlorine content 30-35%) | 45 |
| 547 | DI Valve 250 mm | 0 |
| 548 | DI Valve 200 mm | 0 |
| 549 | DI Valve 150 mm | 0 |
| 550 | DI Valve 100 mm | 0 |
| 551 | Mechanical Joint 250 mm | 0 |
| 552 | Mechanical Joint 200 mm | 0 |
| 553 | Mechanical Joint 150 mm | 0 |
| 554 | Mechanical Joint 100 mm | 0 |
| 555 | GI pipe 150 mm | 12000 |